WHAT IS CLAIMED IS:

5

10

15

20

25

- 1. A chromatography column comprising a column having a stationary phase and a mobile phase, wherein said stationary phase comprises carbon-clad metal oxide particles having attached at least one organic group.
- 2. The chromatography column of claim 1, wherein said organic group comprises at least one aromatic group directly attached onto said carbon-clad metal oxide particles.
- 3. The chromatography column of claim 1, wherein said organic group comprises at least one alkyl group directly attached onto the carbon-clad metal oxide particles.
- 4. The chromatography column of claim 1, further comprising a substance comprising chemical species to be separated in said column.
- 5. A separation device comprising a mobile phase and a stationary phase, wherein said stationary phase comprises carbon-clad metal oxide particles having attached at least one organic group.
- 6. A method for conducting separation of chemical species from a substance, wherein said method comprises passing said substance through a system containing a mobile phase and a stationary phase, wherein said stationary phase comprises carbon-clad metal oxide particles having attached at least one organic group.
 - 7. The method of claim 6, wherein said separation is liquid chromatography.
- 8. The method of claim 6, wherein said separation is size exclusion chromatography.
- 9. The method of claim 6, wherein said separation is chromatography by affinity wherein the chemical species in the substance have different affinities for the stationary phase.
- 10. The method of claim 6, wherein said separation is an adsorption-desorption chromatography or supercritical fluid chromatography.
- 11. The method of claim 6, wherein said separation is electrophoresis or electrochromatography.
- 12. A method for conducting separation by electrophoresis comprising a stationary phase and a mobile phase located between a positive electrode and a negative

20

25

30

electrode, passing a current between said electrodes, and introducing a substance containing different chemical species to be separated, wherein said stationary phase comprises carbonclad metal oxide particles having attached at least one organic group.

- 13. A membrane separation system comprising a membrane wherein said membrane comprises carbon-clad metal oxide particles having attached at least one organic group.
- 14. The membrane separation system of claim 13, wherein said system is a reverse osmosis system.
- 15. An electrophoresis separation comprising a stationary phase, a mobile phase, and a positive electrode and a negative electrode, wherein said stationary phase comprises carbon-clad metal oxide particles having attached at least one organic group.
 - 16. The separation device of claim 5, wherein the organic group is a phenyl or naphthyl group having ionic or ionizable groups.
- 17. The separation device of claim 5, wherein the organic group comprises an amino acid or derivatized amino acid, cyclodextrin, immobilized protein, polyproteins, or combinations thereof.
 - 18. The separation device of claim 5, wherein the organic group comprises a -C₆F₅ group, a trifluoromethyl-phenyl group, a bis-trifluorophenyl group, or combinations thereof.
 - 19. The separation device of claim 5, wherein the organic group comprises -Ar- $(C_nH_{2n+1})_x$ group, wherein n is an integer of from about 1 to about 30 and x is an integer of from about 1 to about 3.
 - 20. The separation device of claim 5, wherein the organic group comprises an immobilized protein for the separations of racemic mixtures into their optically pure components.
 - 21. The separation device of claim 5, wherein the organic group comprises polyethylene glycol or methoxy-terminated polyethyleneglycol.
 - 22. The separation device of claim 5, wherein the organic group comprises -Ar-((C_nH_{2n})COOX)_m, wherein Ar is an aromatic group, n is 1 to 20, m is 1 to 3, and X is H, a cation, or an organic group.

- 23. The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})OH)_m$, wherein Ar is an aromatic group, n is 1 to 20, m is 1 to 3.
- 24. The separation device of claim 5, wherein the organic group comprises -Ar- $((C_nH_{2n})NH_2)_m$, where n is 1 to 20, m is 1 to 3, or its protonated form: -Ar- $((C_nH_{2n})NH_3X)_m$, wherein X is an ion, and Ar is an aromatic group.
- 25. The separation device of claim 5, wherein the organic group comprises -Ar-(C_nH_{2n})CHNH₃⁺COO⁻ and the reaction products thereof with molecules containing functional groups terminated in -NH₂, -OH, or -COOH, wherein Ar is an aromatic group.
 - 26. The separation device of claim 19, where n=18 and x=1.
- 10 27. The separation device of claim 19, where n=8 and x=1.
 - 28. The separation device of claim 26, further comprising a second organic group attached on the carbonaceous material.
 - 29. The separation device of claim 27, further comprising a second organic group attached on the carbonaceous material.
- The separation device of claim 28, where the second organic group is -Ar-C(CH₃)₃.
 - 31. The separation device of claim 29, where the second organic group is -Ar-C(CH3)3
- 32. The separation device of claim 5, wherein the organic group comprises -Ar-20 ($(C_nH_{2n})CH=CH_2)_m$, wherein n is 0 to 20, m is 1 to 3 or -Ar-($(C_nH_{2n})SO_2CH=CH_2)_m$, where n is 0 to 20 and m is 1 to 3.
 - 33. The separation device of claim 5, wherein the organic group comprises at least one chiral ligand group.
- 34. The separation device of claim 16, further comprising a second organic group attached on the carbonaceous material.
 - 35. The separation device of claim 17, further comprising a second organic group attached on the carbonaceous material.
 - 36. The separation device of claim 18, further comprising a second organic group attached on the carbonaceous material.
- 30 37. The separation device of claim 19, further comprising a second organic group attached on the carbonaceous material.

15

- 38. The separation device of claim 20, further comprising a second organic group attached on the carbonaceous material.
- 39. The separation device of claim 21, further comprising a second organic group attached on the carbonaceous material.
- 40. The separation device of claim 22, further comprising a second organic group attached on the carbonaceous material.
- 41. The separation device of claim 23, further comprising a second organic group attached on the carbonaceous material.
- 42. The separation device of claim 24, further comprising a second organic group attached on the carbonaceous material.
 - 43. The separation device of claim 25, further comprising a second organic group attached on the carbonaceous material.
 - 44. The separation device of claim 32, further comprising a second organic group attached on the carbonaceous material.
 - 45. The separation device of claim 34, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 46. The separation device of claim 35, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 47. The separation device of claim 36, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 48. The separation device of claim 37, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 49. The separation device of claim 38, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- 25 50. The separation device of claim 39, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 51. The separation device of claim 40, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- 52. The separation device of claim 41, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.

- 53. The separation device of claim 42, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- 54. The separation device of claim 43, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- 55. The separation device of claim 44, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- 56. The separation device of claim 5, wherein the organic group comprises -Ar-(CnH2n)CN)m, wherein Ar is an aromatic group, n is 0 to 20, and m is 1 to 3.
- 57. The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})C(O)N(H)-C_xH_{2x+1})_m$, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3.
 - 58. The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})N(H)C(O)-C_xH_{2x+1})_m$, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3.
- The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})O-C(O)-N(H)-C_xH_{2x+1})_m$, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3.
 - 60. The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})C(O)N(H)-R)_m$, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3, and R is an organic group.
 - 61. The separation device of claim 5, wherein the organic group comprises $Ar-((C_nH_{2n})N(H)C(O)-R)_m$, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3, and R is an organic group.
- 62. The separation device of claim 5, wherein the organic group comprises 25 Ar-((C_nH_{2n})O-C(O)N(H)-R)_m, wherein Ar is an aromatic group, n is 0 to 20, x is 0 to 20 and m is 1 to 3, and R is an organic group.
 - 63. The separation device of claim 56, further comprising a second organic group attached on the carbonaceous material.
- 64. The separation device of claim 57, further comprising a second organic group 30 attached on the carbonaceous material.

15

- 65. The separation device of claim 58, further comprising a second organic group attached on the carbonaceous material.
- 66. The separation device of claim 59, further comprising a second organic group attached on the carbonaceous material.
- 67. The separation device of claim 60, further comprising a second organic group attached on the carbonaceous material.
 - 68. The separation device of claim 61, further comprising a second organic group attached on the carbonaceous material.
- 69. The separation device of claim 62, further comprising a second organic group attached on the carbonaceous material.
 - 70. The separation device of claim 63, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 71. The separation device of claim 64, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 72. The separation device of claim 65, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 73. The separation device of claim 66, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 74. The separation device of claim 67, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 75. The separation device of claim 68, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
 - 76. The separation device of claim 69, wherein said second organic group has a shorter chain length or less steric hindrance than said organic group.
- The chromatography column of claim 1, wherein the carbon-clad metal oxide particles are carbon-clad zirconium dioxide particles.
 - 78. The chromatography column of claim 2, wherein the carbon-clad metal oxide particles are carbon-clad zirconium dioxide particles.
- 79. The chromatography column of claim 3, wherein the carbon-clad metal oxide particles are carbon-clad zirconium dioxide particles.

- 80. The separation device of claim 5, wherein the carbon-clad metal oxide particles are carbon-clad zirconium dioxide particles.
- 81. The separation device of claim 19, wherein the carbon-clad metal oxide particles are carbon-clad zirconium dioxide particles.
- 82. The separation device of claim 5, wherein the organic group comprises an optically active aminoacid or derivatized aminoacid for the separations of racemic mixtures into their optically pure components.
- 83. The separation device of claim 5, wherein the organic group comprises cyclodextrin attached through a group -Ar(CH₂)_n, where n=0 to 15 for the separations of racemic mixtures into their optically pure components.